



Product Catalogue



CONTENTS



4

TKS / AIR HANDLING UNIT



8

**TNAS / POOL
DEHUMIDIFICATION UNIT**




10

**TKS-H / HYGIENIC AIR
HANDLING UNITS**



12

TKS-R / ROOFTOP




16

**TIGK-HP / HEAT PUMP HEAT
RECOVERY UNITS**




18

TIGK / HEAT RECOVERY UNIT




20

TDEF / AXIAL JET FAN



24

TDEF / SMOKE EXHAUST FAN




26

TKAF / AXIAL FAN




26

**THMF-E / ELECTROSTATIC
FILTER KITCHEN FAN UNIT**




32

THMF / KITCHEN FAN UNIT



34

TMF / KITCHEN EXHAUST FAN




36

THF / VENTILATION UNIT





38

TEH / VENTILATION UNIT



40

TKMF / DUCT TYPE KITCHEN FAN





ROOF FAN WITH
VERTICAL THROW

Model Info

PRODUCT CODE	VOLTAGE (V)	FREQUENCY (Hz)	POWER (kW)	SPEED (Rpm)	SOUND LEVEL dB(A)	AIRFLOW (m ³ /h)			
						100Pa	200Pa	300Pa	400Pa
TDBF35	380	50	0,75	1450	73,00	2990	2498	1820	-
TDBF40	380	50	0,75	1450	75,00	4304	3792	3167	2275
TDBF45	380	50	1,1	1450	77,00	-	5628	5036	4246
TDBF50	380	50	1,5	1450	78,00	-	8306	7690	6950
TDBF56	380	50	2,2	1450	80,00	-	12032	11350	10600
TDBF63	380	50	4	1450	80,00	-	-	16980	16200




VFDs allow you to match the speed of the motor-driven equipment to the load requirement. There is no other method of AC electric motor control that allows you to accomplish this.

TDBF

- Body is manufactured from galvanized steel plate and it ia RAL 9002 Pelectrostatic powder painted.
- High efficiency NICOTRA plug fans with high efficiency selected on computer environment with special selection program are used.
- Engine air flow is left out thus, it is not affected from oily and hot exhaust air.
- Overheating of the engine is prevented by means of the air entry grills at the roof entry.
- Its compact structure enables easy and convenient assembly.
- By means of its removable top, easy access and intervention to the engine and fan is possible.
- By means of its protective sheet plate, any external intervention from foreign objects which may contact with the fan while the engine is working will be prevented.

Dimensions

MODEL	H	L	W
TDBF35	525	720	720
TDBF40	580	820	820
TDBF45	625	865	865
TDBF50	680	750	750
TDBF56	730	800	800
TDBF63	765	950	950





Architecture of high **quality air**



Fatih Mahallesi Yakacık Cd. Sancaktepe - İstanbul - TURKEY

www.tezelish.com.tr



+90 216 311 17 69

satis@tezelish.com.tr



+90 554 534 78 63

export@tezelish.com.tr



+90 506 365 62 54

export@tezelish.com.tr